

RUBBER FLOORING COLLECTION

FITNESS SPORTS LEISURE

everroll®

Regupol®



Regupol
(Australia) Pty. Ltd.





Welcome to

our commitment to better flooring performance

You've devoted your career to building strength and pushing the boundaries to achieve optimum results. When it comes to building fitness, sports and leisure facilities, the same values exist.

Our mission is to work with you, to work harder and provide flooring solutions that will surpass your expectations. Think of us as your personal trainers for superior flooring fitness.

We're proud to be partnering with some of the country's leading fitness groups, while providing personalised support to specialist gym operators, sports clubs and leisure centres.

This booklet outlines the many variants of the everroll® collection of rubber flooring offering you a wealth of opportunities.

We look forward to working with you and helping you achieve the result you're looking for. That's my personal promise to you.

Healthy regards,



Nicholas Anasson
General Manager

Run with the brand you can rely on





Products

Admire the look, feel the energy

Fitness performance is all about resilience. Bouncing back after a heavy workout. Absorbing the impact. Pushing further to complete one more repetition, lift one more kilo, run one extra kilometre. Such dedication mirrors the resilience of everroll® rubber flooring from Regupol.

Here is a collection of rubber flooring products which has been working out in Australian fitness and health clubs for more than 20 years. With featured benefits of safety and comfort underfoot everroll® makes for a good flooring choice within leisure and aquatic centres.

everroll® offers six distinctive product ranges, infused with fragments of colour which harmonise with other flooring systems. All of the everroll® flooring products are homogeneous, have no wear layer and are PVC free.

everroll® Core 4

everroll® Tone 5

everroll® Vitality 6

everroll® Intensity 7


everroll® Active 10

everroll® Shape 11

Composite Flooring 13

Design Centre 14

Product Info 16



everroll® Core

Our number one

Strength, endurance and good looks; these are the proven qualities of everroll® Core. This remarkable flooring solution has been our number one preference of fitness facilities around the world for some very good reasons.


For starters everroll® Core is able to sustain high impact and endure heavy duty use. Offering a broad spectrum of colours to coordinate with your corporate colour palette or design theme.

everroll® Core comes in a range of thicknesses matched to suit low impact and high impact activities. Ask us for a colour sample to help select the optimum solution for your environment.


AREAS OF APPLICATION

Weights and Strength Training
 Cross Fitness Training
 Golf Clubs and Driving Ranges
 Ice and Roller Skating Rinks


Refer to the everroll® Product Selector for more applications




everroll® Core Berlin




everroll® Core Palau




everroll® Core Goa



everroll® Core Sidon




everroll® Core Melbourne



everroll® Core Amsterdam




everroll® Core Mons



everroll® Core Manaus


Note: The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

Product Data Thickness 4mm, 8mm, 12mm

 Roll Length 40m, 25m, 20m
 Roll Width 1.25 metres

 Hexagons 600mm x 520mm

 Tiles 600mm x 600mm


 Planks 1200mm x 300mm




everroll® Tone Berlin



everroll® Tone Nome




everroll® Tone Goa




everroll® Tone Kush




everroll® Tone Lhasa



everroll® Tone Auckland



everroll® Tone Sydney



everroll® Tone Perth

everroll® Tone

Added colour for a well toned floor

We've taken our popular everroll® Core and gone even further, as two complimentary colours in each shade set a sophisticated tone to floors. Such an aesthetic could be just the effect you're looking for in adding complexity and character.

Each colour variant comes alive with the colour infusion of quality EPDM rubber particles. When it comes to performance, everroll® Tone exhibits the same resilience and resistance to heavy impact as our everroll® Core product.

To tone up your floors with added resilience and energy, request a sample today to make an informed selection.

Strong
Professional
Healthy
Rubber
Flooring

AREAS OF APPLICATION

Ski Resorts
Stadiums and Arenas
Football Clubs
Bike Clubs

Refer to the everroll® Product Selector for more applications

Note: The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

Product Data Thickness 4mm, 8mm, 12mm

 Roll Length 40m, 25m, 20m


Roll Width 1.25 metres




Hexagons 600mm x 520mm




Tiles 600mm x 600mm




Planks 1200mm x 300mm



everroll® Vitality Berlin



everroll® Vitality Nome



everroll® Vitality Goa



everroll® Vitality Kush

everroll® Vitality

Bring some colour to your feet

With its added infusion of colour everroll® Vitality stretches the colour pallet without stretching your budget.

The vital ingredient is the combination of equal volumes of EPDM with tough eco-preferred rubber. Such colour intensity can be used to create specific zones or distinguish areas within your fitness facility.

This is a product that offers greater comfort underfoot and performs with impressive grip even when wet.

Ask us for a colour sample and then add some vitality to your venue.

AREAS OF APPLICATION

- Locker and Change Rooms
- Hotel, Spas and Resorts
- Schools and Universities
- Games and Party Rooms

Refer to the everroll® Product Selector for more applications

Note: The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

Product Data

Thickness 4mm



Roll Length 40m

Roll Width 1.25 metres



Hexagons 600mm x 520mm




Tiles 600mm x 600mm




Planks 1200mm x 300mm




everroll® Intensity Berlin




everroll® Intensity Nome



everroll® Intensity Jakarta



everroll® Intensity Kypros



everroll® Intensity Island



everroll® Intensity Mons

everroll® Intensity

The look of granite, the feel of rubber

With everroll® Intensity Regupol has created a floor with a split personality. Intensity evokes the look of granite, yet underfoot it has the feel of rubber.

Your members will have added spring in their step and will feel reassuring levels of grip which is vital for safety. This makes everroll® Intensity the flooring of choice for a broad range of leisure facilities and aquatic centres.

When you request a sample, you'll no doubt admire the colour. But take the time to run your fingers across it and feel the resilience.

Safe
Healthy
Anti-Slip
Rubber
Flooring

AREAS OF APPLICATION

Cardio and Circuit Rooms
Leisure and Aquatic Centres
Swimming Pool Surrounds
Child Care Centres

Refer to the everroll® Product Selector for more applications

Note: The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

Product Data

Thickness 4mm



Roll Length 40m

Roll Width 1.25 metres



Hexagons 600mm x 520mm



Tiles 600mm x 600mm



Planks 1200mm x 300mm

everroll®




Think of us as your
personal trainers
for superior
flooring fitness.

everroll®






everroll® Active Berlin




everroll® Active Nome




everroll® Active Goa



everroll® Active Kush



everroll® Active Oslo



everroll® Active Mons

everroll® Active

Colour you'll feel comfortable with

You seek a flooring solution with a subtle yet sophisticated infusion of colour. Yet that same floor must meet commercial realities and deliver value over the long term and achieve long life. What do you choose?

everroll® Active achieves precisely what the name suggests. It offers the high elastic strength and impact resistance you demand, and has the ability to quell excess noise levels better than timber or vinyl floors. Equally uplifting is a colour selection to compliment your design theme or corporate persona.

Ask us for a sample in your preferred colour, and feel the energy return and resilience.

AREAS OF APPLICATION

- Cafe Areas
- Reception and Office Spaces
- Retail Shops
- Community and Sports Centres

Refer to the everroll® Product Selector for more applications

Note: The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

Product Data

Thickness 4mm



Roll Length 40lm


Roll Width 1.25 metres



Hexagons 600mm x 520mm




Tiles 600mm x 600mm




Planks 1200mm x 300mm



everroll® Shape Berlin



everroll® Shape Nome




everroll® Shape Goa



everroll® Shape Kush



everroll® Shape Oslo




everroll® Shape Mons



everroll® Shape Palau



everroll® Shape Amsterdam



everroll® Shape Manaus

everroll® Shape

Vibrant shades that reshape design

We've amped up the colour for added vibrancy in a flooring solution that will add shape and structure to your floors.

The colour intensity comes from the high percentage of fine particle EPDM rubber granules infused throughout the product.

Such a strong hit of colour could be just what you need to identify specific areas within your gym or leisure facility. You can define a running track, mark and distinguish areas, maybe even integrate your logo into the flooring design. In this way, everroll® Shape can reshape your floors, and your facility.

To truly appreciate the vivid colour selection, ask us for a sample or two.

Strong
Resistant
Flexible
Rubber
Flooring

AREAS OF APPLICATION

Spin Rooms
Reception Areas
Leisure Areas
Community Areas

Refer to the everroll® Product Selector for more applications

Note: The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

Product Data

Thickness 4mm



Roll Length 40m

Roll Width 1.25 metres



Hexagons 600mm x 520mm



Tiles 600mm x 600mm



Planks 1200mm x 300mm



REEBOK



kombat zone



Composite Flooring

Comfortable and flexible rubber flooring systems

Here is a flooring solution that not only ensures comfort. The cushioning effects of everroll® Composite Flooring provides many long term benefits.

With a durable wear layer underscored by a shock-absorbent underlay, everroll® Composite Flooring provides excellent shock and sound absorbing qualities. Such attributes are vital in environments where active bodies often come in contact with the floor and with high impact.

Ask today for a sample and feel the difference.

High
Quality
Flooring
Produces
No Dust

AREAS OF APPLICATION

Aerobic Floors
Pilates and Yoga Studios
Group Fitness
Children's Crèche

Refer to the everroll® Product Selector for more applications

Product Data **Thickness** 8mm + 4mm (12mm), 10mm + 4mm (14mm)



Roll Width 1.25 metres


Design Centre

In a fitness or leisure facility, the interplay of colours, light and texture is important in creating the right environment. Design not only projects your corporate or individual persona. It welcomes customers into your venue and provides an ambience in which they'll want to stay longer, and workout harder.

Let us work with you in helping you coordinate colours and products to create the right look. We can even integrate designs and logos, or grid lines and shapes that form floor plans for particular activities, though minimum quantities do apply.

Talk to us and let us amaze you.

EXAMPLE




everroll® EPDM Colour Selector




Colour Range

everroll® Core




Berlin Palau Goa Sidon Melbourne Mons Amsterdam Manaus

everroll® Tone




Berlin Nome Goa Kush Lhasa Auckland Sydney Perth

everroll® Vitality




Berlin Nome Goa Kush

everroll® Intensity




Berlin Nome Jakarta Kypros Island Mons

everroll® Active



Berlin Nome Goa Kush Oslo Mons

everroll® Shape



Berlin Nome Goa Kush Oslo Mons Palau Amsterdam

everroll® Shape



Manaus

everroll® Product Selector Guide

Application	everroll® Core everroll® Tone everroll® Vitality everroll® Intensity	everroll® Core everroll® Tone everroll® Vitality everroll® Intensity	everroll® Core everroll® Tone everroll® Vitality everroll® Intensity	everroll® Active everroll® Shape	everroll® Composite Flooring System
Thickness	4mm	8mm	12mm	4mm	11-14mm
Weights & Strength Training		✓	✓		
Spin Rooms	✓	✓	✓	✓	✓
Cardio & Circuit Rooms	✓	✓	✓		✓
Cross Fitness Training		✓	✓		
Group Fitness Rooms	✓	✓	✓	✓	✓
Yoga & Pilates Studios	✓	✓	✓	✓	✓
Locker & Change Rooms	✓	✓	✓	✓	
Community & Sport Centres	✓	✓	✓	✓	✓
Swimming Pool Surrounds				✓	
Schools & Universities	✓	✓		✓	✓
Child Care Centres	✓	✓		✓	✓
Games & Party Rooms	✓	✓			
Theme Parks	✓	✓		✓	
Golf Clubs & Driving Ranges		✓	✓		
Ice & Roller Skating Rinks		✓	✓		
Ski Resorts		✓	✓		
Stadiums & Arenas		✓	✓		
Athletic Clubs		✓	✓		
Football Clubs		✓	✓		
Bike Clubs		✓	✓		
Reception & Office Spaces	✓	✓	✓	✓	✓
Retail Shops	✓	✓	✓	✓	✓

Note: This is a guide only to selecting the right product for your application. For high traffic areas or commercial applications it is recommended to use the thicker product option. It is recommended that you check with one of your Regupol Team Members for confirmation of the right product for your area.

Please check the fire and slip classifications for your building to match with the everroll® rubber flooring material type that is suitable for your project - see downloads www.regupol.com.au



KOMBAT TRAINING

RbK

KOMBAT TRAINING

RbK

KOMBAT TRAINING

POWERBAG

POWERBAG
10Kg

RbK

Product Info



Product Catalogue



Case Studies



REG-2015
GECA 25-2011 v2
Floor Coverings

GECA Environmental
Product Certification



Specify everroll® with
NATSPEC



Installation Guidelines



Cleaning Guidelines



Slip Resistance



Fire Resistance



Tender Text



Warranty Terms &
Conditions of Sale

Download product information
at www.regupol.com.au



green building council australia
MEMBER



Regupol
(Australia) Pty. Ltd.

ABN 97 094 053 399
155 Smeaton Grange Road
SMEATON GRANGE NSW 2567

Ph: 02 4624 0050
Fax: 02 4647 4403

Email: sales@regupol.com.au
Website: www.regupol.com.au